


DRAINAGE BASINS							
BASIN	AREA (ACRES)	Q2 (CFS)	Q5 (CFS)	Q10 (CFS)	Q25 (CFS)	Q50 (CFS)	Q100 (CFS)
A	6.90	0.4	1.3	2.9	5.1	6.9	9.0
OS-1	1.29	1.4	1.9	2.4	3.0	3.5	4.1
OS-2	1.06	0.8	1.2	1.6	2.1	2.6	3.1
OS-3	5.87	6.1	8.4	10.6	13.4	15.9	18.4
OS-4	6.75	7.0	9.6	12.2	15.4	18.3	21.2

DESIGN POINTS						
DESIGN POINT	Q2 (CFS)	Q5 (CFS)	Q10 (CFS)	Q25 (CFS)	Q50 (CFS)	Q100 (CFS)
1	1.3	2.6	4.5	7.1	9.3	11.7
P1(CAPACITY)						54.5



DRAINAGE LEGEND

- BASIN IDENTIFIER
BASIN AREA [AC] (F) 0.36
- DESIGN POINT IDENTIFIERS (3)
- DRAINAGE BASIN BOUNDARY ---
- SURFACE SHEET FLOW DIRECTION ←
- EXISTING MAJOR CONTOUR (10') - - - - -
- EXISTING MINOR CONTOUR (2') - - - - -
- PROPOSED MAJOR CONTOUR (10') - - - - -
- PROPOSED MINOR CONTOUR (2') - - - - -
- PROPOSED
(E) ---
(P) ---
(F) ---
- SLOPE/DIRECTION
(E) STORM SEWER ---
(P) STORM SEWER, INLET, OUTFALL ---

PREPARED FOR: GOODWIN KNIGHT 8605 EXPLORER DRIVE SUITE 250 COLORADO SPRINGS, CO 80920	 <small>PO BOX 692 DIVIDE, CO 80814 (719) 435-2124</small>	PATHS AT PIKEVIEW EXISTING DRAINAGE PLAN	DRAWN BY: DLM SCALE: 1" = 50' DATE: 08/01/18 JOB NUMBER: 17-131 SHEET: 1 OF 1
---	---	---	---